

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 2	0	"5708780."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:32
S11 3	2	"5708780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:33
S11 4	2	"6324648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:33
S11 5	1	(digital near5 bitmap) and applet and (handwritten near signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:34
S11 6	1	(digital near5 bitmap) and (handwritten near signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:34
S11 7	0	S116 not S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:34
S11 8	221	(input near device) and (handwritten near signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:34
S11 9	142	S118 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:35
S12 0	120	S119 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:35

S12 1	62	S120 and coordinat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:18
S12 2	6	713/202.ccls. and ((designated and (common or universal)) near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:20
S12 3	1	S122 and (hash\$5 near10 (password (user near id) and (server near name) and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:24
S12 4	96	713/202.ccls. and (hash\$5 near10 (password (user near id) and (server near name) and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:25
S12 5	0	S124 and (((universal or common) near5 password) same ((multiple or different) near5 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:26
S12 6	2	S124 and (((universal or common) near5 password) and ((multiple or different) near5 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 10:57
S12 7	11	713/182.ccls. and ((universal or master) near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:44
S12 8	33	713/182.ccls. and ((universal or master or common) near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:51
S12 9	3	S128 and ((designated near5 password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:47
S13 0	0	S128 and (hash\$5 same ((server near name) and password and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:52

S13 1	0	S128 and (hash\$5 near20 ((server near name) and password and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:53
S13 2	1	S128 and (((server near name) and password and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:51
S13 3	2	"6662300".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:53
S13 4	2	"6324648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:55
S13 5	183	Nguyen.in. and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 13:00
S13 6	26	S135 and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:55
S13 7	4	Nguyen.in. and (encrypted near5 (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 13:00

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	user and (multiple near accounts) and (common near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:17
S2	2	user and (multiple near accounts) and (single near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:16
S3	11	user and (multiple near accounts) and (single near (login or logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 12:34
S4	1	"5867667".PN.	USPAT	OR	OFF	2004/03/03 10:19
S5	0	user and (multiple near accounts) and (single near (login or logon)) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:23
S6	2916	hash and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:24
S7	150	(hash and password) and (single near (login logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:29
S8	17	((hash and password) and (single near (login logon))) and ((generat\$3 creat\$3) near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:59
S9	177	single near logon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:38
S10	0	(single near logon) and (receiv\$3 near (user near id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:39

S11	0	(single near logon) and (send\$3 near (user near id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:39
S12	2	((single near logon) and (user near id)) and (hash near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:40
S13	139	(single near logon) and (user near id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:42
S14	1	"5475762".PN.	USPAT	OR	OFF	2004/03/03 10:51
S15	1	"5287519".PN.	USPAT	OR	OFF	2004/03/03 10:52
S16	1	"4786900".PN.	USPAT	OR	OFF	2004/03/03 10:53
S17	13	((hash and password) and (single near (login logon))) and ((generat\$3 creat\$3 near password)) not cookie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:59
S18	0	((hash and password) and (single near (login logon))) and (multiple near accounts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 11:02
S19	550	user and (single near (password or login or logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:13
S20	13	(user and (single near (password or login or logon))) and (hash near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:06
S21	0	(user and (single near (password or login or logon))) and ("syemtric encryption algorithm")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 12:57
S22	10	(user and (single near (password or login or logon))) and (encrypted near (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:04
S23	1	"5323465".PN.	USPAT	OR	OFF	2004/03/03 13:01
S24	1	"5323146".PN.	USPAT	OR	OFF	2004/03/03 13:01

S25	1	"5136642".PN.	USPAT	OR	OFF	2004/03/03 13:02
S26	309	(user and (single near (password or login or logon))) and (authenticat\$3 near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:04
S27	214	((user and (single near (password or login or logon))) and (authenticat\$3 near user)) and (user near id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:05
S28	4	((((user and (single near (password or login or logon))) and (authenticat\$3 near user)) and (user near id)) and (hash near password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:06
S29	0	(user and (single near (password or login or logon))) and "password transform algorithm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:13
S30	0	"password transform algorithm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:18
S31	3	(hash near function) and (symetric near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:20
S32	513	(hash near function) and (symmetric near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:20
S33	12	((((hash near function) and (symmetric near key)) and @pd<="20000421") and (encrypt\$3 near (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:22
S34	87	((hash near function) and (symmetric near key)) and @pd<="20000421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:25
S35	15	((((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticate near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 13:25

S36	22	((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticat\$3 near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 14:02
S37	1	"5191611".PN.	USPAT	OR	OFF	2004/03/03 14:00
S38	20	(((((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticat\$3 near user)) and (encrypt\$3 near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 14:43
S39	20	(((((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticat\$3 near user)) and (encrypt\$3 near key) and (symmetric near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 14:44
S40	0	(((((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticat\$3 near user)) and (encrypt\$3 near key) and (symmetric near key)) and (encrypt\$3 near (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 14:45
S41	13	(((((hash near function) and (symmetric near key)) and @pd<="20000421") and (authenticat\$3 near user)) and (encrypt\$3 near key) and (symmetric near key)) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 14:59
S42	4819	hash near function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:00
S43	514	(hash near function) and password and "random number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:00
S44	2	((hash near function) and password and "random number") and ((calculat\$3 near (hash near value)) same (password and "random number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:05
S45	19	((hash near function) and password and "random number") and ((hash near value) same (password and "random number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:08

S46	17	((hash near function) and password and "random number") and ((hash near value) same (password and "random number"))) not (((hash near function) and password and "random number") and ((calculat\$3 near (hash near value)) same (password and "random number")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 15:06
S47	11	((hash near function) and password and "random number") and (hash same (password and "random number")) and @pd<="20000419"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:13
S48	871	parfenov	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:14
S49	0	2002/0138728	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:14
S50	0	"2002/0138728 A1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:15
S51	2	"20020138728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:30
S52	454	single near sign-on	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:31
S53	1	((single near sign-on) and (password and (login near id))) and (multiple near accounts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:32
S54	5	((single near sign-on) and (password and (login near id))) and (symmetric near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:35

S55	1	((single near sign-on) and (password and (login near id))) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:35
S56	0	"08872710".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:36
S57	1	"08872710"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:36
S58	43	(single near sign-on) and (password and (login near id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 13:19
S59	88	(encrypt\$3 near (random near number)) and (symmetric near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 13:21
S60	0	((encrypt\$3 near (random near number)) and (symmetric near key)) and (single near (sign-in logon))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 13:20
S61	51	(encrypt\$3 near (random near number)) and (symmetric near key) and (hash near function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 14:45
S62	672	hash and (server near name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 14:46
S63	34	hash with (server near name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 14:51
S64	3	(hash with (server near name)) and (hash with (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 16:00

S65	0	(encrypted near (random near number)) same "based on user id"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 16:01
S66	13	(encrypted near (random near number)) same (user near (name id identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 18:10
S67	1	retriev\$3 near (encrypted near random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 18:39
S68	45	hash near (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 18:40
S69	3	(hash near (random near number)) and ((calculat\$3 near hash) same (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/04 18:40
S70	0	(Common near password) and (hash\$4 near20 (name and (user near id) and password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 09:51
S71	13	(hash\$4 near20 (name and (user near id) and password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:05
S72	0	(hash\$4 near20 (url and (user near id) and password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:09
S73	41	(hash\$4 same (address and (user near id) and password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:21
S74	9	(hash\$4 same (url and (user near id) and password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:24

S75	2	"6484143".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:24
S76	1	(access\$5 near5 (multiple near5 (on-line near account)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:19
S77	314	(access\$5 near5 (multiple near5 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:03
S78	0	S77 and (common near3 password) and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:20
S79	0	S77 and (common near3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:20
S80	1	S77 and (user near id) and password and (server near name) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:23
S81	4	S77 and (single near (sign-on or log-on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:34
S82	0	S77 and ("hash(ui+p+s+nr")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:31
S83	0	S77 and (hash\$5 near15 (password and name and (random near number) and (user near id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:32
S84	5	(hash\$5 near15 (password and name and (random near number) and (user near id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:32

S85	701	(single near (((sign near on) or sign-on) or log-on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:34
S86	3	S85 and (server near name) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:38
S87	2	"6662300".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:51
S88	2	"5774552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 15:51
S89	0	S77 and ((hash\$5 near5 (random near number)) and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:06
S90	38	(hash\$5 near4 (random near number)) and (server near5 specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:13
S91	0	2002/0116635	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:13
S92	2	"20020116635"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:14
S93	2	"6577920".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:20
S94	2	"6587433".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:22

S95	2	"5555376".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:25
S96	2	"20020087867"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:26
S97	2	"20030130955"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:27
S98	516	(server near5 generat\$4) near10 (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:35
S99	13	S98 and ((common or universal) near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:48
S10 0	7	S99 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:32
S10 1	1	S98 and ((common or universal) near5 password) and (single near (sign-on or "sign on"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:46
S10 2	5	S98 and ((previously near5 generated) near10 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:47
S10 3	2	S98 and ((hash\$4 near5 ((user near id) and password and (server near name) and (random near number))) and (server near generated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:28
S10 4	23	super near password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:34

S10 5	0	S104 and (hash\$5 near10 ((user near id) and password and (random near number) and ((server or gateway or host) near (name or id))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:30
S10 6	0	S104 and (hash\$5 near10 ((user near id) and (random near number) and ((server or gateway or host) near (name or id))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:30
S10 7	0	S104 and (hash\$5 near10 ((user near id) and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:31
S10 8	0	S104 and ((user near id) near5 (retriev\$5 near8 (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:33
S10 9	0	S104 and ((user near id) near5 (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:34
S11 0	0	S104 and ((user near id) near10 (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:34
S11 1	0	S104 and ((user near id) and (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:34
S11 2	2	S104 and (user near id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:35
S11 3	2	"6324648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:49
S11 4	1409	(server near5 generat\$4) near10 (unique or (random near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:37

S11 5	329	S114 and ((send or transmit or transfer) near5 ((random near number) or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:40
S11 6	30	S115 and @pd<="20000401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:41